

WORK LIFE. ELEVATED.

CLERYS QUARTER, O'CONNELL STREET, DUBLIN 1



INTRODUCING OFFICES AT CLERYS WORKSPACE THAT EXCEEDS EVERY EXPECTATION

64,600 SQ.FT. OFFICE HQ	3 FLOORS OF OFFICE SPA 18,200 TO 2		1:	8 BASE BUILD OCCUPANCY
2.8M FLOOR-TO- CEILING HEIGHT	154 BICYCLE BICYCLE SPACES	7 UNISEX SHOW CHANGING AN DRYING ROOM	ND .	48 BASEMENT LOCKERS

The Clerys building sets the standard for a new way of work. Three floors of premium offices. A mixed-used destination that elevates the employee experience. World-class design that creates the conditions for the next phase of growth.

SETTING THE HIGHEST STANDARDS



BER B2

111

A Low ton

5

.

WIREDSCORE

The offices have received a Platinum rating from WiredScore, the global connectivity certification system in Real Estate.

LEED & BER

The building is targeting LEED GOLD and a BER B2 Rating.

Clerys Quarter

RESPECTFULLY REMASTERED. OPEN TO ALL.

In the heart of Dublin's city centre on the premier thoroughfare, O'Connell Street, Dublin 1, Clerys Quarter is a new destination, masterfully restored.

The mixed-use destination delivers a world-class experience, setting the standard with its workspaces, new foodie destination, leading retailers and hospitality offer.



Dublin's most famous meeting point, Clerys Clock lovingly restored



ALL PART OF Clerys Quarter





A Dublin hotspot to eat, meet and drink - hosting restaurants, cafés, bars and hotels.

THE TEA ROOMS

The Tea Rooms are back. Sitting at the centre of the establishment, this is the place to refresh, reunite and reminisce.



Five floors of flexible space for collaboration, inspiration and the next era of growth. FLANNELS

HaM

Flannels lands at Clerys bringing its brand of new luxury to Ireland for the first time.

H&M's largest city-centre store comes to Dublin at Clerys.





CLERYS

The terrace at Clerys rooftop is a new beacon for the city. With panoramic views, its restaurant, bar and open air pool are available to all.

- 1 Clerys Rooftop Bar & Restaurant
- 2 Offices at Clerys
- 3 H&M

6

TAN

8

(5)

7

(9)

- 4 Flannels
- 5 The Tea Rooms
- 6 The Earl Building
- 7 Earl Place Market Food & Beverage
- 8 The Moxy Hotel
- 9 New Premier Inn

5 ...

1

2

R

Le

ttt

133

ALL ITS ITA

DUBLIN'S CENTRE POINT

HENRY STREET 6

Clerys Quarter sits on the city's main thoroughfare - a hyper-connected area of Dublin where fresh investment in a changing landscape meets historic landmarks and classic architecture.

1 Clerys Building

Ń

Offices at Clerys Flannels H&M Tea Rooms Clerys – Rooftop Bar & Restaurant

2 The Earl Building

Offices Retail Food & Beverage

3 Earl Place Market New pedestrianised street Food & Beverage

4 New Premier Inn
 5 The Moxy Hotel
 158-bedroom, 3-star hotel

6 Henry Street
Dublin's prime shopping destination

7 GPO General Post Office / Visitor Centre / Museum

8 Student Accommodation



EARL PLACE

4

NORTH EARL STREET

2

GREEN LINE

7

TALBOT STREET

MARLBOROUGH PLACE

GREEN LINE

MASTERFULLY RESTORED

Flexible, intelligent office space. 64,600sq.ft. over three floors. A building curated for coffee breaks, working lunches and retail therapy. Floor to ceiling windows. And inspirational original features at every turn - from the iconic Clerys clock to the Portland stone façade.

U,



The elegant features such as the Terrazzo flooring, Corinthian columns and 4.5m-high ceilings frame the beautiful original double staircase, which leads to the famous Tea Rooms.





RECEPTION







Rya

Sec. 2

T

*

ANT

ANA



FIND POLE POSITION IN THE BEATING HEART OF DUBLIN

1 KPMG

- 2 Citi Bank
- 3 CHQ
- 4 Irish Water 5 Zurich
- 6 Three Mobile
- 7 Facebook
- 8 Bloomberg
- 9 ScotiaBank
- **10** Susquehanna International Group
- 11 William Fry

- 12 Verizon
- 13 US Bank, KBC
- **14** Grant Thornton
- **15** Custom House
- 16 Irish Life Centre 17 Apex Fund Services,
- , Depfa Bank, AZ Life 18 Department of Education
- and Skills
- **19** National Lottery
- 20 Canada Life 21 VHI

- 22 Abbey Theatre 23 SIPTU
- 24 Ulster Bank
- 25 Amundi Asset Management
- 26 Fidelity Investment
- 28 Twitter
- 29 Turner & Townsend
- **30** Irish Times
- 31 Boulder Media
- 32 GPO

- **33** Residential Tenancies Board **34** Irish Aviation Authority
- **35** Toast Ireland
- **36** Trinity College
- 37 Arnotts
- 27 Chartered Accountants Ireland 38 Irish Houses of Parliament
 - **39** Barclays
 - 40 AIB
 - 41 Department of Agriculture, Food & The Marine
 - 42 The Mansion House

ON YOUR DOORSTEP

Clerys Quarter is surrounded by inspiration and entertainment for everyday working life.





The Winding Stair

Chapter One Restaurant



Arnotts, Henry Street





The Abbey Theatre



General Post Office

The Hugh Lane Gallery



Hotel Riu Plaza, The Gresham Dublin





The Moxy Hotel

Gate Theatre



DUBLIN'S MOST CONNECTED BUSINESS QUARTER



\$*	Dublin Bike Stations	P
A	Bleeper Bike Stations	X
	Aircoach/Airlink	
Ж	Dublin Bus Stops	ê
	Dublin Taxis	-
	Liffey Ferry	

Metrolink
Dart (Commuter)
Luas Green Line
Luas Red Line
Port Tunnel
Parking

Completion 2027

PUBLIC TRANSPORT

Connolly Station7 minsTara Street Station7 minsSt. Stephens Green9 minsGrand Canal Dock11 minsHeuston Station14 mins

WALKING TIMES

onnolly Station	9 mins
ara Street Station	10 mins
t. Stephens Green	15 mins
rand Canal Dock	22 mins
euston Station	30 mins

ACCOMMODATION



OFFICE AREA SCHEDULE	SQ.M.	SQ.FT.	
Fourth floor	1,692	18,213	
Third floor	2,100	22,604	
Second floor	2,104	22,647	
Ground floor*	103	1,109	
Basement	TENANT A	TENANT AMENITIES	
Total	5,999	64,573	

The above net internal floor areas are approximate areas only. *Ground floor office reception area CLERYS QUARTER



GROUND Floor

FLOOR PLAN

Area 103 sq.m. / 1,109 sq.ft. (Office Reception)



SECOND Floor



FLOOR PLAN

Area 2,104 sq.m. / 22,647 sq.ft.



FLOOR PLAN

Area

2,100 sq.m. / 22,604 sq.ft.



FOURTH FLOOR

BASEMENT

(^K ~

FLOOR PLAN

Area 1,692 sq.m. / 18,213 sq.ft.







O'Connell Street



TYPICAL SPACE PLANS

TECHNICAL

Occupier density 1 person / 8 sq.m.

Open-plan work stations	251
Single person offices	8
Shared office space	3
6-person meeting room	1
10-person boardroom	1





FINANCIAL

Occupier density 1 person / 10 sq.m.

Open-plan work stations	194
Single person offices	8
Shared office space	3
6-person meeting room	1
10-person boardroom	1

PROFESSIONAL SERVICES

Occupier density 1 person / 12 sq.m.

Open-plan work stations	152
Single person offices	12
Shared office space	3
6-person meeting room	1
10-person boardroom	1





SPECIFICATION

OFFICES AT CLERYS SUMMARY

- Restored original neo-classical Portland stone façade and ground-floor bronze windows.
- Refurbishment of existing steel windows on levels one and two.
- High-efficient double-glazed curtain walling system with solar coatings and aluminium insulated panels in new construction areas.
- Paved and landscaped terraces on second and fourth floors.
- Central hall with generous 4.5m floor-to-ceiling height.
- Glazed 28m-high atrium extending from 1st floor to 5th-floor hospitality suite.
- 3 no. 14-person passenger lifts serving all floors along with 2 no. 8-person firefighting lifts.

NEW FACADE

Place facade.

HISTORIC FAÇADE

on O'Connell Street.

to third floor office.

levels 1 & 2.

Refurbishment of original

and ground-floor bronze

windows to 1922 building

Refurbishment of concrete

façade and timber/steel

windows to Sackville Place.

New double-glazed windows

Refurbishment/replacement

of existing steel windows on

CENTRAL HALL AND ATRIUM

Two reinstated entrances,

3.2m bronze-colour doors

accessible to main lobby.

Automated revolving doors.

Central hall 4.5m in height with

large book matched marble

offering views of enhanced setting to existing fabric.

panels and glazing to ceiling,

Portland stone facade

(UPPER FLOORS)

High efficiency double-glazed

solar coatings and aluminium

insulated panels including the

replacement of the entire Earl

curtain walling system with

DESIGN OCCUPANCY

Means of escape 1 person per 6m².

Internal climate

1 person per 8m².

Lift provision 1 person per 8m².

Sanitary provision 1 person per 10m² 60:60.

FLOOR HEIGHTS

Ground to first floor (Underside of ceiling) 4.5m. Office floors (2nd, 3rd and 4th)

(Clear floor-to-ceiling) 2.8m. RAF to underside of ceiling beam 3m to 3.1m. RAF to ceiling slab 3.74m to 3.76m

Raised access floor zone Nominal 150mm (NIC).

Floor construction Proposed: Composite concrete slabs with steel beams.

NEW STRUCTURE

- Steel frame with Westok Cellbeams.
- Mini piles and RC Pile Caps.
- Composite comflor 60 floors.
- Concrete cores.
- Pre-cast concrete stairs.

- Doors to have card readers with low-energy release.
- Open Network Building Energy Management System (BEMS).
- Provision for multi-tenant floor-by-floor metered LV Power Supply.
- M&E designed to accommodate base build occupation capacity of 1 per 8m².
- Office demise M&E designed to accommodate occupation capacity of 1 per 8m².
- 154 no. secure bicycle spaces.
- 7 no. unisex showers.
- 48 no. secure basement lockers.
- Changing/drying room facilities.
- Sustainability target: LEED GOLD, BER B2 Rating.
 - Glazed 28m-high atrium void.
 Original stair from 1922 refurbishment.
 - New feature bronze staircase.
 - Terrazzo floors and feature reception walls.
 - Bespoke reception desk.
 - High-quality contemporary furniture and feature lighting.
 - Touchless Boon Edam speedgates.

LIFT LOBBY (GROUND FLOOR)

Floors

Terrazzo.

Internal walls

Large format natural stone and bronze-clad lift fittings and doors.

Ceilings

Restored historic ceilings and painted suspended plasterboard ceiling.

INTERNAL OFFICE FINISHES (2ND, 3RD, 4TH FLOORS)

Walls

Plastered and painted (brilliant white) walls (NIC).

Floors

600mm x 600mm raised access flooring (NIC).

SPECIFICATION

Doors

Painted timber door sets.

Columns Exposed steel.

Ceiling

Metal suspended ceiling system. SAS System 150 300 x 1200 metal perforated ceiling tiles with linear plasterboard margins and bulkheads (NIC).

Third floor Roof light.

TERRACES (2ND & 4TH FLOORS)

Pre-cast pavers to terraces.

TOILETS

Walls Painted plasterboard walls with inset mirrors.

Floors Porcelain Terrazzo floor tiles.

Ceilings Painted plasterboard and SAS System 150.

Doors

Painted timber doorsets. WC Cubicles

Oak veneer solid doors full height cubicle.

Vanity units

Bespoke stone vanity unit with integrated basins and flush mounted mirror over.

Sanitary ware

44

Wall-hung WC pans and urinals with concealed cisterns and porcelain Terrazzo backing.

Hands-free taps, sensor flush to WCs, hand dryers and sensor soap dispensers.

SHOWER AND CHANGING FACILITIES

Drying and locker rooms

Ceiling

Exposed (unfinished) concrete ceiling.

Exposed Fair faced block work. Painted white.

Shower cubicles HPL solid doors with ceramic wall tile.

Floors

Porcelain floor tile throughout.

- Mechanical ventilations of these areas. Supply and extract @10 air changes per hour with heat recovery.
- HPL full-height locker system.
 PIR controlled lighting

 surface mounted.
- Fire smoke detection systems.

PASSENGER LIFTS

Touchless destination control.

Manufacturer KLEEMANN.

Size 3no. 14-person serving all floors. 2no. 8-person fire-fighting.

Goods lifts 2no. 13-person service lift.

Lift speed 1.0m–1.6m per second.

Lift Car Finish Flooring to match reception. Other finishes to be bespoke.

Waiting time Passenger lift peak average interval is 8.4 seconds.

MECHANICAL INSTALLATION

Ventilation fresh air provided by a centrally located air handling unit located at roof level. One unit will distribute air evenly throughout the building from separate riser locations.

The AHU comprises of intake and discharge sections, filters, heating coil, cooling coil, heat exchanger, supply fan, return/exhaust fan and attenuators.

Toilet ventilation is provided through a roof mounted air handling unit.

The air-conditioning system will comprise 1no. primary airhandling unit at roof level to serve offices. Provision for a 4-pipe FCU air conditioning system will be provided connected to external chillers at roof level. FCUs should be supplied with local control and centralised control on a floor-byfloor basis to allow for separate tenancies. Space will be provided at roof level for tenant fit-out condensers to comms rooms etc.

The landlord areas are heated by radiators and heater batteries off the LPHW circuit. The reception area is serviced with an electric door air curtain and 4-pipe fan coil units.

DESIGN PARAMETERS

Winter temperature

Outside -3°C dB saturated.

Internal office

21°C±2°C. No RH control.

Toilets 19–21°C. No RH control.

Reception 21°C±2°C. No RH control.

Summer temperature

Outside 26°C db 19.5°C wb.

Internal Office

22°C±2°C. No RH control. Toilets

22°C±2°C. No RH control. **Reception**

21°C±2°C. No RH control.

Fresh air supply

Offices 12 litres/sec/person at 1no. person

per 8m². **Toilets**

10 air change/hr/extract plus make-up air.

Water services

Main water supply will be provided from the Local Authority main to cold water storage tanks located at basement level. A booster pump set will be provided to pump the cold water from the storage tanks to all outlets within the toilet core. A separate booster pump set will be provided to pump mains water to the tenant tea stations at each floor level at two separate locations per floor.

Hot water will be provided to the land lord areas by indirect calorifiers.

Drainage services

Soils and wastes drainage will be provided to serve the toilet cores on each floor. Each office floor plate will be provided with locations for tea station drainage and condensate drainage from internal fan coil units.

Fire-fighting equipment

Special purpose fire extinguishers will be provided in the boiler room. General purpose fire extinguishers will be provided at strategic locations.

Dry risers will be provided within fire-fighting shafts.

ELECTRICAL INSTALLATIONS

The building has an ESB double

in each tenant area.

substation and provision for multi-tenant metered LV Power Supply – 2 meters per floor.
A sub main cable terminated into an isolator shall be provided

Design criteria

One person per 8m²

Lighting 7w per m².

Small power 25w per m².

Misc. small power 13w per m².

Lighting

Offices Energy efficient LED modular

mixed recessed and suspended. Luminaires selection to comply with the design intent of CIBSE Lighting Guide LG7.

Reception

Bespoke lighting design to reflect high-quality reception area.

Toilets

Low-energy lighting scheme provided.

Lighting control

The lighting control system will be provided with presence/ daylight sensors. Landlord areas will be controlled via standalone presence sensors. Emergency lighting to IS 3217.

inergency lighting to 13 3217.

BUILDING MANAGEMENT SYSTEM

BMS will control all primary, landlord mechanical plant and environmental systems. The system will be open network to allow interfaces with other systems.

PROTECTIVE INSTALLATION

Fire alarm system

Fire detection and alarm is in accordance with IS 3218 and designed to L-1 Standard. There are individual loops to each tenant floor.

Security systems

- An IP based CCTV system will monitor external areas, entrance foyer and back stair.
- Wiring will be provided at tenancy doors, for future tenant access control system to interface with base build access control/security system at the reception.

Communication

LEED & BER

WIREDSCORE

 2no. incoming communication providers services in 2no. locations will be provided to each tenant floor. Spare underground ducts and cable tray distribution within the service risers will be provided to allow diverse connections to the building.

The building is targeting LEED

BER)B2

45

GOLD and a BER B2 Rating.

The offices have received

connectivity certification

a Platinum ratina from

WiredScore, the alobal

system in Real Estate.

WiredScore

PLATINUM

A DEVELOPMENT PARTNERSHIP BY





EUROPA CAPITAL

under construction.

CORE CAPITAL

Europa Capital is a dedicated real estate investment manager focused on the European markets. It specialises in investment through equity and debt strategies where we employ our real estate asset management skills and experience to maximise value in all property classes across Europe.

Founded in 2007, Core Capital has developed, acquired and

managed property assets in Ireland, UK, US, Spain and Germany

on behalf of a small number of private and institutional investors.

More recently, Core Capital, in partnership with Oakmount, has delivered a number of prime developments in Dublin City Centre.

Core Capital currently has in excess of €700m GDV of projects

OAKMOUNT

OAKMOUNT

Oakmount is known for setting a benchmark in modern day city living and premium office space and boasts an impressive portfolio of exclusive developments throughout Dublin. Founded in 2010, Oakmount's vision for dynamic and innovative projects is evident in every property they develop.

AGENTS

CBRE

Willie Dowling E: william.dowling@cbre.com T: +353 (0) 87 244 5095

Megan Pilkington E: megan.pilkington@cbre.com T: +353 (0) 83 878 6553

PRSA No: 001528 3rd Floor, Connaught House, One Burlington Road, Dublin 4, D04 C5Y6 CBRE.ie



Conor Whelan E: conor.whelan@are.ie T: +353 (0) 86 777 8808

David O'Malley E: david.omalley@gre.ie T: +353 (0) 86 857 9209

PRSA No: 003587 72 Leeson Street Lower, Dublin 2, D02 Y902. QRE.ie

PROJECT TEAM

Developer Oakmount

Architects / Lead Consultant Henry J Lyons

Project Managers Oakmount

Garrett O'Neill

Planning Consultant

Waterman Moylan

OCSC

Building Services

DISCLAIMER These particulars are issued by HT Meagher O'Reilly Limited trading as Knight Frank on the understanding that all the negotiations are conducted through them. These particulars do not constitute, nor constitute any part of an offer or contract. All statements, descriptions, dimensions, references to condition, permissions or licenses of use or occupation, access and other details are for auidance only and are made without responsibility on the part of HT Meagher O'Reilly Limited trading as Knight Frank or the vendor/landlord. None of the statements contained in these particulars, as to the property are to be relied upon as statements or representations of fact and any intending purchaser/tenant should satisfy themselves (at their own expense) as to the correctness of the information given. Prices are quoted exclusive of VAT (unless otherwise stated) and all negotiations are conducted on the basis that the purchaser/tenant shall be liable for any VAT arising on the transaction. The vendor/landlord do not make or give, and neither HT Meagher O'Reilly Limited trading as Knight Frank or any of their employees has any authority to make or give any representation or warranty whatsoever in respect of this property. Knight Frank is a registered business name of HT Meagher O'Reilly Limited. Company licence Reg. No. 385044. PSR Reg. No. 001266.

All images depicting The Earl Building and Clerys Quarter are CGIs (computer generated images). All plans and images are indicative and not to scale.

Manahan Planners **Conservation Architects**

Civil & Structural

Goldsmith Engineering **Quantity Surveyor** KSN

Façade Consultants

Murphy Façades

Fire Consultant

MSA

PSDP

46

Contractor Glenbrier Construction

Clerys Quarter

clerysquarter.ie